


形式 TYPE

0902-SW 14P JOINT CONNECTOR
(NON-WATERPROOF)



構成 COMPOSITION					
色 COLOR	公插頭 MALE HOUSING	接線示意圖 JOINT PATTERN	母插頭 FEMALE HOUSING	色 COLOR	母端子 FEMALE TERMINAL
GRAY	HJ/C14M-GY		HMDL14FGY	GRAY	TMDLF-S (0.3~0.5mm ²) TMDLF-M (0.85~1.25mm ²) TMDLF-L (2.0mm ²)
NATURAL	HJ/C14M-W		HMDL14FW	WRITE	
BLUE	HJ/C14M-L		HMDL14FL	BLUE	

公插頭 MALE HOUSING	母插頭 FEMALE HOUSING

BRACKET
 PANEL(t) = 1.4 mm

形式 TYPE

0902W-SW 6P JOINT CONNECTOR
(WATERPROOF)



構成 COMPOSITION

色 COLOR	公插頭 MALE HOUSING	接線示意圖 JOINT PATTERN	母插頭 FEMALE HOUSING	色 COLOR	母端子 FEMALE TERMINAL
GRAY	HMU805365-J/C		HWTS090-06FS-DGY	GRAY	TDHW05FL-S (0.3~0.5mm ²) TDHW05FL-M (0.85~1.25mm ²) TDHW05FL-L (2.0mm ²)

公插頭 MALE HOUSING	母插頭 FEMALE HOUSING

EARTH RING TERMINAL

	編號 PART NO.	適用線徑 WIRE SIZE(mm ²)	表面處理 TREATMENT
	TM6-BR	2.0~3.0	
	TM6-BR-H		PRE-TIN
	TM6-SR	0.5~1.25	
	TM6-SR-H		PRE-TIN

形式 TYPE

0902W-YZ 8P JOINT CONNECTOR
(WATERPROOF)




構成 COMPOSITION

色 COLOR	公插頭 MALE HOUSING	接線示意圖 JOINT PATTERN	母插頭 FEMALE HOUSING	色 COLOR	母端子 FEMALE TERMINAL
GRAY	HW0902-08J/C-GY		HW0902-08F-GY	GRAY	TDHW05FL-S (0.3~0.5mm ²) TDHW05FL-M (0.85~1.25mm ²) TDHW05FL-L (2.0mm ²)

公插頭 MALE HOUSING	母插頭 FEMALE HOUSING

BRACKET



PANEL(t) = 1.4 mm